OIP.	Ē ,			Page 1 of 3		
JAN O :	Form PTO-1449 (modified)		Atty. Docket No. AH-CLFR:181USD6 AH-CLFR:181USD6 AH-CLFR:181USD6			
PARTS TRA			Applicant David H. Walker, et al	i.		
	(Use several sheets if necess	ary)	Filing Date:	Group: 1645 Examiner: Minnifield, N. M.		
	U.S. Patent Documents	Foreign F	Patent Documents	Other Art		
,	See Page 1	S	ee Page 1	See Page 1		

U.S. Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Name	Class	Sub Class	Filing Date of App.	
m	A 1	6,043,085	3/28/00	Yu et al.	435	325	8/27/98	
M	A2	6,392,023	5/21/02	Walker, et al.	536	23.1	9/12/00	
m	A3	6,403,780	6/11/02	Walker, et al.	536	23.1	3/3/99	
M	A4	60/059,353	9/19/97	Rikihisa, et al.				

Foreign Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Country	Class	Sub Class	Translation Yes/No	
M	B1	WO 99/13720	3/25/99	WIPO	1	\	English	
M	B2	WO 00/32745	6/08/00	WIPO			English	
MM	В3	WO 98/16554	4/23/98	WIPO	1		English	

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
M	C1	Anderson et al., "Ehrlichia chaffeensis, a new species associated with human ehrlichiosis," J Clin Microbiol, 29(12):2838-2842, 1991.
M	C2	Anderson et al., "Ehrlichia ewingii sp. Nov., the etiologic agent of canine granulocytic ehrlichiosis" Int J Syst Bacteriol, 42(2):299-302, 1992.
11	C3	Brouqui et al., "Antigenic characterization of ehrlichiae: protein immunoblotting of Ehrlichia canis, Ehrlichia sennetsu, and Ehrlichia risticii," J Clin Microbiol, 30(5):1062-1066, 1992.
M	C4	Burgess et al., "Possible dissociation of the heparin-binding and mitogenic activities of heparin-binding (acidic fibroblast) growth factor-1 from its receptor-binding activities by site-directed mutagenesis of a single lysine residue," J. Cell. Biol., 111:2129-2138, 1990.
1M	C5	Chen et al., "Identification of the antigenic constituents of Ehrlichia chaffeensis," Am J Trop Med Hyg, 50(1):52-58, 1994.

25489163.1

Examiner:	Minnifield DATE CONSIDERED: 3-2	1-05
EXAMINER: INITIAL IF REFE	ERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DR.	AW LINE THROUGH

Form PTO-1449 (modified)		Atty. Docket No. AH-CLFR:181USD6	Seri	al No 0 680 349
List of Patents and Publications for	Applicant's	Applicant David H. Walker, et al	•	
INFORMATION DISCLOSURE ST	TATEMENT			·
(Use several sheets if necessar	T y)	Filing Date:	Group: Examin	1645 ner: Minnifield, N. M.
U.S. Patent Documents	Foreign P	atent Documents	•	Other Art
See Page 1	Se	ee Page 1		See Page 1

Other Art (Including Author, Title, Date Pertinent Pages, Etc.) Exam. Ref. Citation Init. Des. C6 Chen et al., "Western immunoblotting analysis of the antibody responses of patients with human monocytotropic ehrlichiosis to different strains of Ehrlichia chaffeensis and Ehrlichia canis," Clin Diag Lab Immunol, 4(6):731-735, 1997. Dawson et al., "Serologic diagnosis of human ehrlichiosis using two Ehrlichia canis isolates," J C7 Infect Dis, 163:564-567, 1991. C8 GenBank Accession Number AAY069965. C9 GenBank Accession Number AF078553. C10 GenBank Accession Number AF082744. CII GenBank Accession Number AF230642. C12 GenBank Accession Number U72291. C13 GenBank Accession Number AAK28699. C14 GenBank Accession Number AAC68666. C15 GenBank Accession Number AF078555. Groves et al., "Transmission of Ehrlichia canis to dogs by ticks (Rhipicephalus sanguineus)," C16 Am J Vet Res, 36:937-940, 1975. C17 Harrus et al., "Amplification of ehrlichial DNA from dogs 34 months after infection with Ehrlichia canis," J Clin Microbiol, 36(1):73-76, 1998. C18 Jobling et al., "Analysis of structure and function of the B subunit of cholera toxin by the use of site-directed mutagenesis," Mol. Microbiol., 5:1755-1767, 1991. C19 Jongejan et al., "The immunodominant 32-kilodalton protein of Cowdria ruminantium is conserved within the genus Ehrlichia," Rev Elev Med Vet Pays Trop, 46(1-2):145-152, 1993. C20 McBride et al., "A conserved, transcriptionally active p28 multigene locus of Ehrlichia canis," Gene, 254:245-252, 2000. C21 McBride et al., "Molecular cloning of the gene for a conserved major immunoreactive 28kilodalton protein of Ehrlichia canis: a potential serodiagnostic antigen," Clinical and Diagnostic Laboratory Immunobiology, 6(3):392-399, 1999.

23469103.1	0 00 000							
Examiner:	1 1 7 Multil Date Considered: 3-2/05							
EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.								

Form PTO-1449 (modified)		Atty. Docket No. AH-CLFR:181USD6 Applicant David H. Walker, et al.				
List of Patents and Publications for						
Information Disclosure S	TATEMENT	. •	. <u> </u>			
(Use several sheets if necessa	ry)	Filing Date:	Group: 1645 Examiner: Minnifield, N. M.			
U.S. Patent Documents	Foreign P	atent Documents	Other Art			
See Page 1	S	See Page 1 See Page 1				

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
Mu	C22	McClure, "Mechanism and control of transcription initiation in prokaryotes," Ann Rev Biochem, 54:171-204, 1985.
M	C23	Ohashi et al., "Cloning and characterization of multigenes encoding the immunodominant 30-kilodalton major outer membrane proteins of Ehrlichia canis and application of the recombinant protein for serodiagnosis," Journal of Clinical Microbiology, 36(9):2671-2680, 1998.
1111	C24	Ohashi et al., "Immunodominant major outer membrane proteins of Ehrlichia chaffeensis are encoded by a polymorphic mulitgene family," Infect Immun, 66(1):132-139, 1998.
M	C25	Pharmacia Biotech, BioDirectory, Chapter 9, 217-236, 1996.
M	C26	Reddy et al., "Molecular characterization of a 28 kDa surface antigen gene family of the tribe Ehrlichiae," Biochem Biophys Res Comm, 247(3):636-643, 1998.
11	C27	Rikihisa et al., "Western immunoblot analysis of Ehrlichia chaffeensis, E. canis, or E. ewingii infections in dogs and humans," J Clin Microbiol, 32(9):2107-2112, 1994.
M	C28	Shankarpappa, "Antigenic and genomic relatedness among Ehrlichia resticii, Ehrlichia sennetsu, and Ehrlichia canis," Int J Syst Bacteriol, 42(1):127-132, 1992.
1	C29	Storey et al., "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding high-molecular-weight immunoreactive proteins," <i>Infection and Immunity</i> , 66(4):1356-1363, 1998.
M	C30	Yu et al., "Characterization of the complete transcriptionally active ehrlichia chaffeensis 28 kDa outer membrane protein multigene family," Gene, 248:59-68, 2000.
m	C31	Yu et al., "Detection of Ehrlichia chaffeensis in human tissue by using a species-specific monoclonal antibody," J. Clin Microbiol. 31:3284-3288, 1993.

25489163.1	1	2_/	1.	1	_	· ·			<i>(</i>	•	
Examiner:						- [][][]	li	lu	PATE CONSIDERED:	3-21-05	
									ATION IS IN CONFORMANCE WITH MI		